Evidence-Based Program Guidance

for

Substance Use Prevention Education in Schools

December 2020

This document was developed by
The New York State Education Department
and
The New York State Office of Addiction Services and Supports

Disclaimer/ Organizational & Vendor Notice

The New Yo(z)22.69 -0 S4113 >>BD99 Verganiz0 4BDCc184ot 224.2 re f EM .4 (o)-2 (c)7.1 279 08G(V)4. o11.7 apa.6 0 T2 163◂cdV 08,c

.....16
.....17

THE UNIVERSITY OF THE STATE OF NEW YORK

Regents of The University

T. ANDREW BROWN, Vice Chancellor	B.A., J.D.	Rochester
ROGER TILLES	B.A., J.D.	Manhasset
LESTER W. YOUNG, JR.	B.S., M.S., Ed.D.	Beechhurst
CHRISTINE D. CEA	B.A., M.A., Ph.D.	Staten Island
WADE S. NORWOOD	B.A.	Rochester
KATHLEEN M. CASH	C0.16Tm()RY-0.002 T01d0 9[illegible]31.52 54.0816Tm(C)Tj12 552 9MB.9[illegible]17 5[illegible].04 -0 0 8[illegible]04 2 530.16Tm(A)2.9Bu1 Tc -0.001 Tw 8[illegible]05[illegible]9Bu.08[illegible]55T30.16	

Foreword

This document was

Section 1: Overview of Substance Use Prevention

According to the Centers for Disease Control and Prevention (CDC) Youth Risk Behavior Survey (YRBS) data, the percentage of high school students in New York State (NYS) that have reported using heroin, or that have injected an illicit drug has more than doubled in a 10-year period (i.e., between 2005 and 2015). The National 2017 YRBS data show that high school students use a variety of substances (e.g., heroin, non-medical use of prescription opioids, alcohol, marijuana, synthetic marijuana, steroids, inhalants). NYS 2017 YRBS data regarding high school students in grades 9-12 shows: 26.4% report currently using alcohol, 19.1% report currently using marijuana, 7.5% report having ever used marijuana for the first time before age 13 years, 10.3% report having ever used synthetic marijuana, 5.4% report having ever used steroids without a doctor's prescription, and 3.8% report having ever used heroin. Based on information from the 2018 NYS Epidemiological Profile: Substance Use and other Mental, Emotional and Behavioral (MEB) Disorders, heroin use amongst NYS high school students in grades 9-12 increased 167% from 2003-2015; current alcohol use and binge drinking amongst students ages 12 and older declined in NYS, and major depressive episodes, feeling sad or hopeless, and suicide attempts increased. This information supports the need for substance use prevention and mental health literacy instruction in schools.

Brain Science & Addiction

Adolescence is a critical time for brain development. It is during these years that the brain is particularly vulnerable. During this period of development there are often changes in the brain within the Central Nervous System (CNS) (e.g., decreases in grey matter, increases in white matter), as well as changes to the prefrontal cortex which responds to dopamine which is a neurotransmitter that gives a sense of pleasure and positive well-being when released. Most misused drugs (including alcohol) increase the amount of dopamine the brain releases. If a youth engages in substance use during this critical time, there may be changes in the feedback system so that the brain may not naturally be able to control its dopamine release. The brain may begin to naturally decrease its production and become physiologically dependent on outside sources (substance use, gambling, sexual behaviors, risk-taking behaviors, etc.) to maintain the dopamine level. This situation and the developed perceived need for the substance could contribute to an adolescent's future substance misuse and addiction (U.S.

Promoting Mental, Emotional and Behavioral (MEB) Health in School Settings

Mental health promotion is a crucial component of substance use interventions as the link between MEBs and substance use has been clearly established by several recent studies. In 2015, it was estimated that nearly half (41.2%) of youth ages 12 and older who had a substance use disorder also had a co-occurring mental illness.

French, 2011; Kelly et al., 2015). Use of multiple substance in adolescence has been found to be predictive of school non

A Comprehensive Approach to Student Support via Multi-Tiered Systems of Support (MTSS) Frameworks

Prevention programming and interventions implemented in schools and communities should reflect cultural considerations and the developmental stages of the target student population in multiple domains such as academic, social emotional

Connecting Substance Use & Mental Health Risk & Protective Factors to EBPs

At present, approximately 85% of OASAS's substance use prevention providers' work occurs with schools. Substance use prevention programming remains as important as ever due to its multi-faceted nature and to be able to scaffold the robust functional knowledge areas in health education, academics, and behavior. More specifically, when risk and protective factors are considered, there is overlap between those factors for substance use and mental health conditions, as depicted in the graphic organizer below:

For support personnel, it can be helpful to use the shared risk and protective factors to proactively plan supports and responsive interventions as part of a data-driven decision-making regimen. Often, these efforts are supported by shared interventions (captured below), which can be programming that addresses multiple outcome areas for effectiveness and efficiency

.

Given the established relationship between substance use and mental health functioning based on the shared risk and protective factors provided above, the focal OASAS EBPs for Prevention of Mental, Emotional and Behavioral (MEB) Health Disorders are: Life Skills Training, Olweus Bullying Prevention, Second Step, Strengthening Families Program: For Parents and Youth 10-14, Too Good for Drugs, Too Good for Violence, Too Good for Drugs and Violence, Too Good for Drugs, Violence and Sexual Risk, Too Good for Drugs and Violence: Middle School Years, PAX Good Behavior Game, Positive Action, and Promoting Alternative Thinking Strategies (PATHS). These EBPs have statistically significant effects on mental health outcomes and substance use prevention outcomes with an effect size (Cohen's *d* value) of ≥.5. Therefore, these EBPs address students' behavioral health because of the

listed on pages 29-31 address substance use prevention and mental health outcomes, though may not have met the stringent Cohen's *d* criterion of ≥.5 yet are still viable options for substance use prevention education and addressing risk and protective factors.

OASAS Prevention EBP Review Panel & Prevention Registry of EBPs

The OASAS EBP Review Panel is a voluntary organization comprised of prevention researchers and outcome evaluators from across NYS and is coordinated by OASAS to review the prevention science. The panel uses a set of shared evidentiary standards to review programs. The standards are based on those published by the Society for Prevention Research (SPR), Blueprints for Healthy Youth Development, as well as SAMHSA's guidelines. Specifically, programs are evaluated based on the quality of research, research design, recency of research, strength of effect, etc. by the EBP Review Panel. The results are shared through the OASAS Prevention Registry of Evidence-based Programs & Strategies (REPPS). The panel rates the quality of evidence for OASAS and New York providers and improves communication with our diverse provider organizations to better support them in identifying and selecting effective substance use prevention programs. The panel then maintains a list of substance use prevention EBPs that meet the criteria similar to the What Works Clearinghouse (WWC) that is widely used for evidence-based programs for various topics within education, which includes several of the EBPs on the list

The EBPs that have been approved by OASAS increase protective factors related to SUD prevention through prosocial skill development. Many EBPs for substance use prevention can also prevent multiple problem behaviors through the promotion of SEL competencies. This most current

pre(ous7n, w)3.3 (h E63.3

NYS OASAS Current Registry of Substance Use Prevention Evidence-Based Programs (EBP)

EBP Name	Brief Description	Minimum # of Required Instructional Sessions/ Session Length	Population (ages or grade) Setting	Community Outcomes	Family Outcomes	School Outcomes	Individual & Peer Outcomes	Substance Use Outcomes	Integrated Outcomes Addressed
Active Parenting (4th ed.) IOM Level: Universal MTSS Level:									

Universal/ Tier 1									

All Stars-Core

IO1.04 Tm ( )Tj EMC /P <</MC6 539.52.5.9 (a)

Selective & Indicated/ Tier 2 & 3	are at risk for alcohol-related problems.								
EBP Name	Brief Description	Minimum # of Required Instructional Sessions/ Session Length	Population (ages or grade) Setting	Community Outcomes	Family Outcomes	School Outcomes	Individual & Peer Outcomes	Substance Use Outcomes	Integrated Outcomes Addressed
Building Skills IOM Level: Selective MTSS Level: Selective/ Tier 2	Building Skills is a 12-lesson curriculum designed to help students avoid or reduce high-risk behaviors, including substance use, by improving their inter- and intrapersonal skills.	# of Sessions: 12 Session Length: 1 Hour	Population: (M/F, grades 6-12) Setting: School	None	None	Risk Factors Low Commitment to School o School Bonding	Risk Factors Early Initiation of Drug Use o Intent to use Early Initiation K-5) of Problem Behavior o Anger management o Stress management Protective Factors Social Skills o Conflict resolution o Self-control o Assertiveness o Cooperation o Decision-making	None	

Universal/ Tier 1									
EBP Name	Brief Description	Minimum # of Required Instructional Sessions/ Session Length	Population (ages or grade) Setting	Community Outcomes	Family Outco48 373.0				

Early Risers Skills for Success IOM Level: Indicated MTSS Level: Indicated/ Tier 3	Early Risers "Skills for Success" is a multicomponent, developmentally focused, competency-enhancement program that targets 6- to 12-year-old elementary school students who	# of Sessions: 24 12

(g)2 ubst1-6 (nc)4 (ude)4 u

EBP Name

Evidence-Based Program (EBP) Guidance

EBP Name	Brief Description

EBP Name	Brief Description	Minimum # of Required Instructional Sessions/ Session Length	Population (ages or grade) Setting	Community Outcomes	Family Outcomes	School Outcomes	Individual & Peer Outcomes	Substance Use Outcomes	Integrated Outcomes Addressed
Life Skills Training (LST) - Elementary IOM Level: Universal MTSS Level: Universal/ Tier 1	Life Skills Training (LST) is a school-based program that aims to prevent alcohol, tobacco, and marijuana use and violence by targeting the major social and psychological factors that promote the initiation of substance use and other risky behaviors. LST is based on both the social influence and competence enhancement models of prevention.	# of Sessions: 8 Session Length: N/A	Population: (M/F, Elementary School grades) Setting: School	None	None	None	Risk Factors Early Initiation of Problem Behavior o Verbal aggression o Physical aggression o Fighting o Delinquency	None	ESSA Compliant Violent Behavior
Life Skills Training (LST) - Middle School IOM Level: Universal MTSS Level: Universal/ Tier 1	Life Skills Training (LST) aims to prevent alcohol, tobacco, and marijuana use and violence by targeting the major social and psychological factors that promote the initiation of substance use and other risky behaviors.	# of Sessions: 15 Session Length: N/A	Population: (M/F, Middle School grades) Setting: School	None	None	None	Risk Factors Early Initiation of Drug Use o Intentions to use Perceived Risk of Drug Use o Risk taking tendency Protective Factors Social Skills o Refusal assertiveness	Alcohol Tobacco Marijuana Opioids	ESSA Compliant

Evidence-Based Program (EBP) Guidance

EBP Name	Brief Description	Minimum # of Required Instructional Sessions/ Session Length	Population (ages or grade) Setting	Community Outcomes	Family Outcomes	School Outcomes	Individual & Peer

Evidence-Based Program (EBP) Guidance

EBP Name	Brief Description	Minimum # of Required Instructional Sessions/ Session Length	Population (ages or grade) Setting	Community Outcomes	Family Outcomes	School Outcomes	Individual & Peer Outcomes	Substance Use Outcomes	Integrated Outcomes Addressed

EBP Name	Brief Description	Minimum # of Required Instructional Sessions/ Session Length	Population (ages or grade) Setting	Community Outcomes	Family Outcomes	School Outcomes	Individual & Peer Outcomes	Substance Use Outcomes	Integrated Outcomes Addressed
[PAX] Good Behavior Game	IOM Level:F co [(O)al-10.7n 0986 (:)]TJ 0 Tc 0 Tw 5.011 0 Td41scn013 (n 0986C -0.00)]TJ 0 Tc 0 Tw 5.011 0 Td6( )Tj EMC /Pre f* BT /TT2 F co [(O)al-60 Tw/[(F)2.3 -10.7n 626 (:)]TJ 0 Tc 0 Tw 5.011 0 T								

Preventure IOM Level: Universal, Selective, & Indicated MTSS Level: Universal, Selective & Indicated / Tier 1, 2, & 3	Preventure is a school-based intervention aimed to reduce drug and alcohol use while improving emotiona.96 -0 0 9.96 113.16 484.2 Tm [0 Tw 9.322o /C<7uw 9.96 /C<7o (i)3.1 (4.6 (T)6 (i)8.865 0.973.9 (13.16 5 9.518.64 322o /C(M LhS (()-3>.16 5 9. a)-12.2 (mpr)-6.4 (ov)-20 (i)/(e nt9 (1ed t)-13t -h)

Refuse, Remove, Reasons (RRR) High School Education IOM Level: Universal MTSS Level: Universal/ Tier 1	Refuse, Remove, Reasons (RRR) High School Education Program is a substance use prevention program that is designed to reduce high school students' favorable attitudes toward the use of alcohol, tobacco, and other drugs (ATOD); decrease their misperception of normative peer ATOD use; and increase their refusal skills for ATOD use.	# of Sessions: 5 Session Length: N/A	Population: (M/F, ages 13-17, High School grades) Setting: School	None	None	None	Risk Factors Perceived Risk of Drug Use o Dangers associated with substance use Protective Factors Social Skills o Refusal skills	Tobacco Marijuana Opioids	None
Responding in Peaceful & Positive Ways (RIPP) IOM Level: Universal MTSS Level: Universal/ Tier 1	Responding in Peaceful and Positive Ways (RIPP) is a school-based, violence prevention program for middle school students, which teaches skills for positive communication. RIPP is a primary prevention program intended for all students rather than for only those who are at a higher risk for violence.	# of Sessions: 16							

1.04 261.6 298.44 Tm (16)Tj ( )Tj EMC C /P <</MCID 92 >>BDC /TyIPP ist 86 > 92 >1 861 (ogr)6.9t 86 > 92 >1 861 (ogr)6.9MC C 5.6y002 Tc 0(i)-4.60I

[Program (Orig.)]	and reduce risk factors for behavioral, emotional, academic, and social problems in children 3	IOM Level: Universal, Selective, & Indicated MTSS Level: Universal, Selective & Indicated / Tier 1, 2, & 3

Teen Intervene IOM Level: Selective & Indicated MTSS Level: Selective & Indicated/ Tier 2 & 3	Teen Intervene reflects the SBIRT model and is a brief, early intervention program for 12- to 19-year-olds who display the early stages of alcohol or drug involvement. Integrating stages of change theory, motivational enhancement, and cognitive-behavioral therapy, the intervention aims to help teens reduce and ultimately eliminate their substance use.	# of Sessions: 3 Session Length: 1 Hour	Population: (M/F, ages 12-17) Setting: School, Outpatient, Justice System	None	None	None	Risk Factors Perceived Risk of Drug Use o Negative consequences of use Protective Factors Social Skills o Problem solving skills	Alcohol	Social Emotional Learning Problem Gambling
Too Good for Drugs (TGFD) - Elementary IOM Level: Universal MTSS Level: Universal/ Tier 1	Too Good for Drugs (TGFD) is a school-based prevention program for kindergarten through 12th grade that builds on students' resiliency by teaching them how to be socially competent and autonomous problem solvers. The program is designed to benefit everyone in the school by providing needed education in social and emotional competencies and by reducing								

Too Good for Drugs & Violence (TGFDV) - High School IOM Level: Universal MTSS Level: Universal/ Tier 1	Too Good for Drugs & Violence High School (TGFDV-HS) is a school-based, universal substance use prevention program that is designed to teach students skills and attitudes that enhance well-being and reduce the use of alcohol and drugs.	# of Sessions: 10 Session Length: N/A	Population: (M/F, ages 13-17) Setting: School	None	Risk Factors Parental Attitudes Favorable Towards Drugs o Parental disapproval	None	

Section 3: Other Informational Resource Options for School-Based & Prevention Professionals

The informational resource options for the related topics listed below include those which are evidence-based, evidence-informed, research-based, and best practice. That is, practices, strategies, and resources used primarily for skill building may not have been evaluated for efficacy in a formal manner, yet may include evidence-informed components. However, research-based resources are those that have been used in the field and have yielded results, though these outcomes may or may not statistical significance or have Randomized Control Trial (RCT) studies in applied settings as an evidence-based program, practice, or strategy would. Every effort has been made to showcase sample web-based resources that promote best practices in the areas listed therein that teachers and school-based personnel can easily access.

Sample Pertinent Topics Related to Substance Use Prevention	Key Information/ Resources
Bullying Prevention (includes cyber bullying as per DASA); risk factor	Based on reviews of and research by Livingston and her colleagues (2018), the Athletic Center for Bullying Use Prevention; University at Buffalo/SUNY

	x SAMHSA's Know Bullying app
Electronic Nicotine Delivery Systems (ENDS); ecigarettes, vapes	Use of Electronic Nicotine Delivery Systems (ENDS; i.e., electronic cigarettes/ vapes) is a alarming quickly growing trend amongst youth. In fact, the U.S. Food and Drug Administration (FDA) has declared youth cigarette use an epidemic. FDA Press Release. E-cigarettes are battery powered devices that heat a solut of liquid nicotine, flavorings, and other chemicals creating an aerosol that is inhaled by the user. NYSDOH E-cigarette infographic. According to the Centers for Disease Control and Prevention, nicotine is addic and has lasting consequences for youth brain development including impaired cognitive functioning a development of addiction pathways in the brain.

- Catch My Breath is a program that offers training to school personnel on the current tre surrounding e-cigarettes/vapes and provides the school with informative posters free of charge
- Vaping Prevention Plus Wellness is an evidence-informed program based on the EBP *SPOR* and is geared towards the universal population for implementation in a single session of about 50 m

Implementation Support for SUD Prevention EBP	Prevention Councils & Provider Network: OASAS-funded prevention providers are available to collaborate and work directly with schools regarding the issue of substance use; evidence-based programs, practices, and strategies that influence multiple outcomes; needs assessment; and programming support using the

Evidence