



- o Requiring that

Example 1 : An elementary school with a BEDS day enrollment of 351 reports zero homicides, zero sexual offenses, 1 assault and 2 incidents of weapons possession would have an SVI of 0.85	
Step 1: Enter the total number of violent incidents	
Violent incident category	Total number of incidents
Homicide	0
Sexual offense	0
Assault	1
Weapons	2
Step 2: Sum the total number of violent incidents	3
Step 3: Enter the school's enrollment on BEDS Day	351
Step 4: Calculate the SVI: The total number of incidents is divided by the enrollment and multiplied by 100 (round the SVI to the second decimal place)	$3/351 \times 100 = 0.85$
Step 5: Is the SVI greater than or equal to 3? (Yes or No)	No

Example 2: A high school with a BEDS day enrollment of 1315 reports zero homicides, two sexual offenses, 3 assaults, and 15 incidents of weapons possession would have an SVI of 1.52	
Step 1: Enter the total number of violent incidents	
Violent incident category	Total number of incidents
Homicide	0
Sexual offense	2
Assault	3
Weapons Possession	15
Step 2: Sum the total number of violent incidents	20
Step 3: Enter the school's enrollment on BEDS Day	1315
Step 4: Calculate the SVI: The total number of incidents is divided by the enrollment and multiplied by 100 (round the SVI to the second decimal place)	$20/1315 \times 100 = 1.52$
Step 5: Is the SVI greater than or equal to 3? (Yes or No)	No

T